

CREATING BALANCE

Ensuring Sustainable Solutions for Metals and Associated Contaminants at DOD Facilities

Robert Stanforth and Steven Schroeder RMT, Inc June 17, 2010

RMT

DIM0120236

Outline

- 1. Introduction: Problem Description
- 2. Lead Stabilization Chemistry
- 3. Case Study # 1 Lead Arsenate Contaminated Soil
- 4. Case Study # 2: Langley AFB Firing Range Treatment
- 5. Conclusions

2

DIM0120270

RMT

Metals Treatment Technology

Insert Section Title

Problem

Many sites have with more than one contaminant

Need to ensure that treatment for one contaminant does not create or exacerbate a problem from the second contaminant

Need to understand environmental and treatment chemistry for both contaminants to ensure sustainable treatment

Two case studies, both involving lead stabilization, illustrate problem

3

RMT

Metals Treatment Technology

Lead Stabilization Chemistry

Lead forms highly insoluble phosphate compounds, can be used to stabilize lead against leaching in both regulatory leaching tests and in natural environment

Solubility shown in log concentration- pH plot (Next Slide)


Problems come from either anions released by phosphate (e.g. arsenic) or from phosphate itself

RMT

Metals Treatment Technology

Lead Stabilization Chemistry

Solubility of Lead Species as a Function of pH



5

RMT

Metals Treatment Technology

Lead arsenate widely used as pesticide prior introduction of DDT

One application was on apple and cherry orchards

Soil in Door County, Wisconsin found to contain both lead and arsenic, groundwater had elevated lead levels.

Source was tracked to the use of lead arsenate in the orchards





6

RMT

Metals Treatment Technology

Some soils leached lead above Hazardous Waste criterion (5.0 mg/L) in TCLP Test.

No soils hazardous for arsenic.

Ran Treatability tests for lead stabilization – phosphate (Triple Superphosphate, or TSP) very effective

For some soils, phosphate caused release of arsenic to above hazardous waste criterion (5 mg/L)

Evaluated use of pH adjustment to control arsenic leaching (by calcium arsenate formation)



7

RMT

Metals Treatment Technology

TCLP Test Results							
	рН	As	Pb				
Soil A							
Untreated	5.1	<0.2	370				
+2.5% TSP	5.1	<0.2	7.5				
+5.0 % TSP	5.0	<0.2	3.6				
+ 10% TSP		<0.2	0.4				
Soil B							
Untreated	5.1	2.2	18.6				
+ 5.0 % TSP	5.1	9.3	<0.6				
+ 5.0 % TSP + 5% MgO	6.6	7.3	<0.2				
+ 5.0 % TSP + 10% MgO	10.0	0.098	<0.2				

8

RMT

Metals Treatment Technology

Results: Both arsenic and lead leaching can be controlled using phosphate and pH control.

Chemistry successfully applied at a number of small sites



3

RMT

Metals Treatment Technology

Case Study #2: Langley AFB

- Located between NW and SW branches of the Back River (Chesapeake Bay)
- Skeet shooting range lead shot and target debris
- Elevated lead (~250 mg/l) in soils on range and sediments in cove (~18 mg/l)

Chemical stabilization cannot increase levels of phosphate in Back





10

RMT

Metals Treatment Technology

Case Study #2: Langley AFB

Remedy – Stabilization (TCLP Pb <5.0 mg/L) of range soils and sediments using phosphate-based chemical ,

Add ferric sulfate to reduce the release of phosphate in the SPLP

Sample	TCLP		SPLP		
	рН	Pb, mg/L	рН	P, mg/L	Pb, mg/L
Untreated	5.13	140	6.66	0.663	2.0
+1% TSP	5.02	2.1	6.68	42	0.05
+ 2% TSP	5.05	0.68	6.26	88	0.15
1% TSP +					
0.5% ferric sulfate			9.77	0.32	<0.013
1.0% ferric sulfate			9.68	0.67	<0.013

11

RMT

Metals Treatment Technology

Langley AFB


Scope of Work

- Installation of 2,500 If of temporary dam structure (sheet pile + Portadam+AquaDam)
- Dewater cove (9.8 million gallons)
- Construct temporary access roads (1,200 lf) into cove
- In-situ stabilization of 17,000 cy of cove sediments
- In-situ stabilization of 26,000 cy of range soils
- Construction of 3.2 acre onsite consolidation area
- Placement of 43,000 cy of stabilized materials in consolidation area (90% Standard Proctor)
- Capping of onsite consolidation area with 18,500 tons of clay and 5,000 cy of topsoil
- Restoration of disturbed wetland areas and construction of 5 acres of new wetlands

RMT

Metals Treatment Technology

Langley AFB



RMT

Metals Treatment Technology

Langley AFB – Hampton, VA



RMT

Metals Treatment Technology

DIM0120236 DIM0120282

14

Langley AFB – Hampton, VA



RMT

Metals Treatment Technology

DIM0120236 DIM0120283

15

Langley AFB – Hampton, VA



RMT

Metals Treatment Technology

DIM0120236 DIM0120284

16

Conclusions

More than one contaminant can be treated concurrently, but need to optimize treatment for both by understanding chemistry controlling both leaching and stabilization

RMT

Metals Treatment Technology

17